



Timber Roofing Batten



Features

- **Complies with BS 5534 : 2014**
- **Fully Graded at the Factory**
- **BM TRADA certified**
- **Finest quality Redwood and Whitewood**
- **FSC Certified**
- **Kiln Dried**
- **Pressure Treated to BS 8417 : 2003**
- **2-4 day availability**

Roofers Choice graded and fully graded timber battens are produced by the largest fully accredited producer of timber products in Latvia. Only the finest quality Redwood (PNSY) and Whitewood (WPCA) is used from sustainable sources that are FSC certified.



114 Eckington Road • Coal Aston
Dronfield S18 3AY

Tel: 01246 292816 • Fax: 01246 292867

Tel: 01246 268 084 • Fax: 01246 268 094

Website: www.mercurybuildingproducts.com

Roofers Choice Blue



Quality Assurance

Roofers Choice Blue Factory Graded Battens are graded twice and have been approved by BM TRADA. This ensures a high quality fully graded batten that meets all aspects of BS 5534 : 2014 and eliminates the need for grading on site. **This is now a requirement for all NHBC homes.**

The British Standard BS 5534 : 2014 assesses :

Dimensions / full measure	Length
Slope of grain	Identification and Marking
Species / Fissures	Rate of growth
Decay and insect attack	Distortion

Roofers Choice Grade A Batten meets all aspects of BS 5534 : 2014 but **requires a final grade for knots and wane on site.**

Preservative

Roofers Choice Blue and **Grade A** battens are Kiln dried to ensure that it reaches an average of below 20% moisture content.

Roofers Choice Blue is treated with Vascol Aqua Blue and **Grade A** is treated with Tanalith E. Both treatments meet the requirements of BS 8417 : 2011.

Product Data & Packaging

Batten Size	Lengths/Bundle				Lengths/Pack		
25 x 50	10				400		
Available Lengths	3.6	3.9	4.2	4.5	4.8	5.1	5.4
Lin Metres / Pack	1440	1560	1680	1800	1920	2040	2160
M ³ / Pack (NOM)	1.8	1.95	2.1	2.25	2.4	2.55	2.7

Batten Size	Lengths/Bundle				Lengths/Pack		
25 x 38	10				560		
Available Lengths	3.6	3.9	4.2	4.5	4.8	5.1	5.4
Lin Metres / Pack	2016	2184	2352	2520	2688	2856	3024
M ³ / Pack (NOM)	1.91	2.07	2.23	2.39	2.55	2.71	2.87

Batten Size	Lengths/Bundle				Lengths/Pack		
19 x 38	10				700		
Available Lengths	3.6	3.9	4.2	4.5	4.8	5.1	5.4
Lin Metres / Pack	2520	2730	2940	3150	3360	3570	3780
M ³ / Pack (NOM)	1.82	1.97	2.12	2.27	2.42	2.58	2.73

Batten Tolerance

Thickness: - 0mm + 3mm

Width: - 3mm + 3mm

Roofers Choice Grade A



Storage

Roofers Choice Battens can be stored outside but counter battens should be used for the first layer to prevent sagging and water saturation. The Vascol Aqua Blue colour will fade over time but this will not affect the lifespan of the batten or the effectiveness of the treatment.